








Work Order ID 58969

Thursday, May 20, 2010 12:36:30 PM





Page 1



Item ID: D3298-007 Accept  Setup Start 
Revision ID: Stop 
Item Name: Tube Assembly
Start Date: 5/20/2010 Start Qty: 6.00  Cust Item ID:
Required Date: 5/31/2010 Req'd Qty: 6.00  Customer:
Reference:


Approvals: Process Plan: PL Date: 10-5-20 Tooling: _____ Date: _____ Run Start 
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop 

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	----------------	--------------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3298	Rev A2

100  Small Fab 0.00 
Small Fab Memo 0.00
Small Fab Bend tube as per template D3298-007T1 & Dwg D3298 □ Flare end as per Dwg ⇒ m.l 10/08/25
D3298. □ Ensure that sleeves and coupling are installed first

110  QC5- Inspect part completeness to step on W/O 0.00
QC Memo 0.00 8/06/25 
Quality Control

120  Identify as per dwg & Stock Location: 195 0.00
Packaging Memo 0.00 10/8/25 sl (6x)
Packaging

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____






NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries


Work Order ID 58969


Page 2

Thursday, May 20, 2010 12:36:30 PM

Item ID: D3298-007 Accept  Setup Start 
Revision ID:
Item Name: Tube Assembly Stop 
Start Date: 5/20/2010 Start Qty: 6.00  Cust Item ID:
Required Date: 5/31/2010 Req'd Qty: 6.00  Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start 
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop 

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130  QC	QC21- Final Inspection - Work Order Release	0.00							
Quality Control	Memo	0.00							

10/08/26 
mf
10-8-26

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Thursday, May 20, 2010 12:36:35 PM

Page 1

Work Order ID: 58969

Parent Item: D3298-007

Parent Item Name: Tube Assembly

Comments: IPP A ☐ 04.09.02 ☐ New issue ☐ KJ/JLM ☐



Start Date: 5/20/2010

Required Date: 5/31/2010

Start Qty: 6.00

Required Qty: 6.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	---------------	----------------	--------

AN818-6D 		Purchased	No			100	Each	2.0000	2			
Nut												

M114797

Location

Loc Qty

Loc Code

ST331

2

112082

2

M6061T6T0.375W.035 		Purchased	No			100	f	251.0000	0.6666			
---	--	-----------	----	--	--	-----	---	----------	--------	---	--	--

6061-T6 RD Tube .375 x.035W

Location

Loc Qty

Loc Code

MAT014

251

104913 ✓

47

112652

204

MS20819-6D 		Purchased	No			100	Each	10.0000	2			
---	--	-----------	----	--	--	-----	------	---------	---	--	--	--

Sleeve

Location

Loc Qty

Loc Code

ST323

10

112082

10

N 114884

12x m-l
10/08/25

3-9996 m-l
10/05/25

6x m-l
6x 10/08/25

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM NO.	QTY	P/N	DESCRIPTION
1	X	D3298-001	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 57969
PS10-5-20

RELEASED
2010-01-14
mp

D3298-001 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER VWV-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-001" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.11 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-001T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

B	DRAWING UPDATED TO CURRENT STANDARDS. 16.00 WAS 15.75 (ZN C3-1, C4-2) & CORRECT VIEW (ZN D4-2). PER CAR 09-004	RF	09.12.30
A	NEW ISSUE	RF	04.07.05
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3298	SHEET 1 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMBINED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -003	P/N	DESCRIPTION
1	X	D3298-003	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



D3298-003 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-003" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.11 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-003T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14
mp

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3298	REV. B
MFG. APPR.	<i>[Signature]</i>	SHEET 2 OF 8	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY	P/N	DESCRIPTION
1	X	D3298-005	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



D3298-005 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-005" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-005T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14
MD

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D3298	SHEET 3 OF 8
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIES OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



ITEM	QTY	P/N	DESCRIPTION
1	X	D3298-007	TUBE ASSEMBLY
2	12	MS20819-6D	SLEEVE
3	2	AN618-6D	NUT

D3298-007 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-007" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.05 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-007T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-15

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO. D3298	REV. B
MFG. APPR.	RF	SHEET 4 OF 8	
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -009	P/N	DESCRIPTION
1	X	D3298-009	TUBE ASSEMBLY
2	1	MS20819-6D	SLEEVE
3	1	AN818-6D	NUT



D3298-009 TUBE ASSEMBLY

W/O 58969

RELEASED
2010-01-16
MD

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-009" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.04 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-009T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS
- 10 ENSURE SEAMLESS TUBING IS USED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D3298	SHEET 5 OF 8
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector





Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY	P/N	DESCRIPTION
1	X	D3298-011	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



W0 5896.9

D3298-011 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-011" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-011T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D3298	SHEET 6 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TUBE ASSEMBLIES	NTS
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY	P/N	DESCRIPTION
1	X	D3298-013	TUBE ASSEMBLY
2	2	MS20819-6D	SLEEVE
3	2	AN818-6D	NUT



D3298-013 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M6061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-013" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-013T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS, TYPICAL
- 10) ENSURE SEAMLESS TUBING IS USED

RELEASED
2010-01-14

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D3298	SHEET 7 OF 8
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	TUBE ASSEMBLIES	NTS
DATE	09.12.30	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -015	P/N	DESCRIPTION
1	X	D3298-015	TUBE ASSEMBLY
2	1	MS20819-6D	SLEEVE
3	1	AN818-6D	NUT



w/658969

D3298-015 TUBE ASSEMBLY

NOTES:

- 1) MATERIAL: 6061-T6 SEAMLESS ALUMINUM TUBING 0.375 O.D. x 0.035 WALL
PER WW-T-700/6
REF DART SPEC M8061T60.375W.035
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3298-015" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATE D3298-015T1
- 9) TUBES TO BE FLARED 37° TO MATE WITH MS33514 FITTINGS
- 10 ENSURE SEAMLESS TUBING IS USED

RELEASED
2018-01-14
JMD

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO. D3298	REV. B
MFG. APPR.	<i>[Signature]</i>	TITLE TUBE ASSEMBLIES	SHEET 8 OF 8
APPROVED	<i>[Signature]</i>	SCALE NTS	
DE APPR.	<i>[Signature]</i>		
DATE	09.12.30	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries